Hotel Lock > > #6600-308



Finishes









Satin Nickel

Unlock Ways:Smart Card or Mechanical key



RF Card

Mechanical Key


Features:

- 2 1.European style designed by UK craftsman.
- 2.With durable stainless steel enclosure.
- 3. Suitable for hotel use. Battery case locates in the exterior lock shell that convenient for change batteries.
- ② 4. Adopt full stainless steel European mortise, fundamentally avoid damage on latch

- 5. With battery case front design, no need to connect the power cable through door hole during installation to ensure stable quality.
- 6. Using wireless LCD hand-hold POS machine to issue setting card, time card and read the entrance records.

Technical specifications:

- 2 1 Power: 6v(4 segments 1.5 voltage batteries)
- $^{\circ}$ 2 Static Electric Current: IC touched card lock < 10μA IC touched card lock+electromagnetic lock < 10μA Reaction card lock < 50μA
- 3 Working Electric Current: 100-300mA
- ② 4 Keeping Record: 250pieces data can be reserved more than 10 years
- 5 Using Times about Card: Touched IC card: 100thousand time Reaction card: illimitable times
- 6 Battery Life: 12 months in normal status
- 7 Open Time: 5 seconds
- 8 Insert Reliability: No mistake even inserted continuously 2000 times
- 9 Insert Guarantee: Still work well after inserting any illegal card
- 2 10 Low Voltage Warning: If the CPU working voltage is less than 4.5 V, it will alert "di di" tone with the red light flashing when opening door.
- 2 11 Capability Resists Static: >15000V
- 2 12 Relative Range(use): 20%-98% 13 Temperature Range(Using): -20°C—+70°C 14 Temperature Range(Storage): -25°C—+85°C



#6600-308

